

### 2 Hazards Identification

### 2.1 Classification of the substance or mixture *CLP Classification-Regulation (EC) No. 1272/2008[EU-GHS/CLP]*

Not a hazardous substance or mixture according to Regulation (EC) No.1272/2008.

### 2.2 Label elements

### Labeling according to Regulation (EC) No.1272/2008

The product does not need to be labelled in accordance with EC directives or respective national laws.

### 2.3 Other Hazards

None

### 3 Composition/Information On Ingredients

### 3.2 Mixture

Component		Classification	Concentration
Lithium chloride			
CAS No. :	7447-41-8	As Per EC Regulation 1272/2008	>=1.0 - <=10.0%
EC No. :	231-212-3	Acute Tox.oral 4; Eye Irrit. 2A; STOT SE 3; Skin Irrit. 2 H302; H319; H335; H315	

Page **1** of **8** 

Со	nponent	Classification	Concentration
Ferric ammonium	n citrate		
CAS No. :	1185-57-5	As Per EC Regulation 1272/2008	>=0.1 - <=1.0%
EC No. :	214-686-6	Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3	
		H315; H319; H335	

Refer Section 16 for complete statement of H codes & classification.

### 4 First Aid Measures

### 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse immediately with plenty of water for at least 15 minutes. Consult a physician.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## **4.2 Most important symptoms and effects, both acute and delayed** No data available.

**4.3** Indication of immediate medical attention and special treatment needed No data available

### 5 Fire Fighting Measures

### 5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Unsuitable extinguishing media

No data available.

# 5.2 Special hazards arising from the substance or mixtureCarbon oxides, Sodium oxides, Hydrogen chloride gas, Lithium oxides, Oxides of phosphorus

### **5.3 Precautions for fire-fighters** Wear self contained breathing apparatus for fire fighting if necessary

5.4 Further information No data available

### 6 Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Soak up with inert adsorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 **Reference to other sections** For disposal see Section 13.

#### 7 Handling and Storage

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for preventive fire protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended Storage Temperature : On receipt store between 10-30°C

#### 7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

#### 8 **Exposure Controls/Personal Protection**

#### 8.1 **Control parameters**

Components with workplace control parameters

#### 8.2 **Exposure controls**

### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the products.

### Personal protective equipment

### Hygiene measure

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with the product.

### Eye/face protection

Tightly fitting saftey goggles; Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU). Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425/EEC and the standard EN ISO 374-1/2016 derived from it.

### **Body protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. **Respiratory protection** 

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Do not empty into drains.

	Appearance	I properties Cream to yellow coloured granular medium No data available No data available 7.00 - 7.40 No data available No data available No data available				
	Odour					
	Odour Threshold					
	рН					
	Melting/freezing point					
	Initial boiling point and boiling range					
	Flash point					
	Flammability (Solid, gas)	No data available No data available				
	Vapour pressure					
	Relative density	No data available				
	Water Solubility	No data available No data available No data available No data available No data available No data available No data available				
	Partition coefficient: n-octanol/water					
	Autoignition Temperature					
	Viscosity					
	Explosive properties					
	Oxidizing properties Vapour density					
			Thermal decomposition	No data available		
	.2	Other safety information				
	No data available					
.0	Stability and Reactivity					
0.1	Reactivity					
-	No data available					
0.2	Chemical stability					
	No data available					
0.3	Possibility of hazardous reactions					
	No data available					
0.4	Conditions to avoid					
	No data available Incompatible materials					
0.5						
	No data available					
0.6	Hazardous decomposition products					
	Refer Section 5.2					

- 11 Toxicological Information
- 11.1 Information on toxicological effects *Acute toxicity* No data available

Skin corrosion/irritation
No data available
Serious eye damage/eye irritation
No data available
Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Carcinogenicity
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as
probable, possible or confirmed human carcinogen by IARC.
Reproductive toxicity
No data available
Specific target organ toxicity- single exposure
No data available

### Aspiration hazard

No data available Potential Health Effects Inhalation REFER SECTION 2 Skin REFER SECTION 2 Eyes REFER SECTION 2 Ingestion REFER SECTION 2 Additional Information RTECS : Not Available

### 11.2 Components

### Lithium chloride

Acute oral toxicity Rat LD50: 526 mg/kg(As per RTECS) Acute inhalation toxicity Rat LC50: >5.57 mg/l; 4 h; aerosol (As per OECD Test Guideline 403) Acute dermal toxicity Rat LD50: >2.000 mg/kg (As per OECD Test Guideline 403) Skin irritation Rabbit Result: Irritations (As per IUCLID) Eye irritation Rabbit Result:Eye irritation(As per IUCLID) Germ cell mutagenicity Genotoxicity in vitro

Ames test Result: Negative

**Additional Information:** 

RTECS:0J5950000

### Ferric ammonium citrate

Acute Oral Toxicity RatLD50: >2000 mg/kg Acute Potential Health Effects Skin Contact may cause irritation or rash, particularly with moist skin. Eyes May cause eye irritation with redness, tearing, and abrasion. Inhalation Inhalation of high concentrations of dust may cause nasal, throat or lung irritation. Symptoms may include coughing and wheezing. Ingestion Ingestion can produce gastrointestinal tract irritation with hyper motility, diarrhea.

Chronic Potential Health Effects Eyes Prolonged eye contact may cause a brownish discoloration of the eyes. Skin Prolonged skin contact may cause skin irritation.

### Additional information:

RTECS: GE7540000

### 12 Ecological Information

### 12.1 Toxicity

No data available for this mixture

### Components:

### Lithium Chloride

Toxicity to Fish LC50 Oncorhynchus mykiss (rainbow trout): 158 mg/l; 96 h (Static test, As per OECD Test Guideline 203) Toxicity to Daphnia EC50 Daphnia magna (water flea): 249 mg/l; 48 h (Static test, As per OECD Test Guideline 202) Toxicity to Algae EC50 Desmodesmus subspicatus (green algae): Static test > 400 mg/l; 72 h (Static test, As per OECD Test Guideline 201)

Page 6 of 8

12.2	Devictories and degradability				
12.2	2 Persistence and degradability No data available				
12.3	Bioaccumulative potential				
	No data available <b>Mobility in soil</b> No data available <b>PBT and vPvB assessment</b> This substance or mixture contains no components considered to be persistent, bioaccumulating nor toxic (PBT) at levels of 0.1% or higher.				
12.4					
12.5					
12.6	Other adverse effects				
	No data available				
13	Disposal Considerations				
13.1	Waste treatments methods				
	Product				
	Offer surplus and non- recyclable solutions to a licenced company. Contact a licenced professional				
	waste disposal service to dispose off this material.				
13.2	Contaminated packaging				
	Dispose of as unused product.				
14	Transport Information				
14.1					
14.2	ADNR : ADR : IATA_C : IATA_P : IMDG : RID :				
14.2	UN proper shipping name         ADNR       : Not dangerous goods				
	ADR : Not dangerous goods				
	IATA_C : Not dangerous goods				
	IATA_P : Not dangerous goods				
	IMDG : Not dangerous goods				
	RID : Not dangerous goods				
14.3	Transport hazard class(es)				
	ADNR : - ADR : - IATA_C : - IATA_P : - IMDG : - RID : -				
14.4	Packaging group				
	ADNR : ADR : IATA_C : IATA_P : IMDG : RID :				
14.5	Environmental hazards				
	ADNR : No ADR : No IMDG : Marine Pollutant No IATA_C : No IATA_P : No RID : No				
14.6	Special precautions for use No data available				
15	Regulatory Information				
	This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006				
	Safety health and environment regulations/legislation specific for the substance or				
15.1	mixture				
15.1	mixture Page <b>7</b> of <b>8</b>				

No data available

## 15.2 Chemical Safety Assessment

No data available

### 16 Other information

H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
Acute Tox.oral 4	Acute toxicity, oral, Category 4
Eye Irrit. 2A	Serious eye damage or eye irritation, Category 2A
Skin Irrit. 2	Skin corrosion or irritation, Category 2
STOT SE 3	Specific target organ toxicity, single exposure, Respiratory tract
	irritation, Category 3

### **Further Information**

Copyright 2016 HiMedia Laboratories Pvt. Ltd.

The information given in this safety data sheet is believed to be correct yet does not claim to be all inclusive. This document is intended only as a guide for appropriate precautionary handling of the material by properly trained individuals, information here being commensurate with the present state of our knowledge regarding the manner and conditions of use, handling, storage or disposal. The information provided herein shall not be considered as guarantee of the properties of the product. HiMedia Laboratories, shall not be held liable for any damage resulting from improper handling or contact with the above product. Unless explicitly stated on the product or in any of the documentation accompanying the product, it is intended for research or testing purpose only and is not to be used for any other purpose.