

www.himedialabs.com

Safety data sheet(SDS)

According to Regulation (EC) No.1907/2006

Revision: 00003

Date of Revision: 15.03.2022

1 Identification of the substances/ mixture and of the company/ undertaking

1.1 Product Identifiers

Product Number GM874

Product Name A 1 Broth, Granulated

REACH Registration Number This product is a mixture. Reach registration number is not available for

this mixture.

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses Laboratory Chemicals, Analytical Purpose, Biochemical Analysis

1.3 Details of the supplier of the safety data sheet

Produced by HiMedia Laboratories Private Limited

Address C - 40,Road No.21Y,MIDC, Wagle Industrial Area, Thane(W), - 400 604, India

Tel. No. +91-22- 6147 1919/6116 9797 Fax No. : +91-22- 61471920 Mail Id info@himedialabs.com Website : www.himedialabs.com

1.4 Emergency Tel. No.

Emergency Tel. No. Please contact the regional HiMedia representation in your country

2 Hazards Identification

2.1 Classification of the substance or mixture

CLP Classification-Regulation (EC) No. 1272/2008[EU-GHS/CLP]

Sensitisation, Skin, (Category 1), H317

Serious eye damage or eye irritation, (Category 1), H318

Hazardous to the aquatic environment, long term hazard, (Category 3), H412

2.2 Label elements

Labeling according to Regulation (EC) No.1272/2008



Pictogram

Signal word Danger

Hazard Statement(s)

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H412 Harmful to aquatic life with long lasting effects

Precautionary Statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Page **1** of **9**

P302 + P352 IF ON SKIN: wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/P337+P313 IF skin irritation or rash occurs/eye irritation persists: Get medical

advice/attention.

P273 Avoid release to the environment.

2.3 Other Hazards

None

3 Composition/Information On Ingredients

3.2 Mixture

Component		Classification	Concentration
Triton X-100			
CAS No. :	9002-93-1	As Per EC Regulation 1272/2008	>=1.0 - <=10.0%
		Acute Tox.oral 4; Eye Dam. 1; Aquatic	
		Chronic 2 H302; H318; H411	

Component		Classification	Concentration
Salicin			
CAS No.:	138-52-3	As Per EC Regulation 1272/2008	>=1.0 - <=3.0%
		H317	

Refer Section 16 for complete statement of H codes & classification.

4 First Aid Measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash with plenty of soap and water. Consult a physician.

In case of eye contact

Rinse immediately with plenty of water for at least 15 minutes. Consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of immediate medical attention and special treatment needed

No data available

5 Fire Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

No data available.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Sodium oxides, Oxides of phosphorus

5.3 Precautions for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary

5.4 Further information

No data available

6 Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see Section 13.

7 Handling and Storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for preventive fire protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended Storage Temperature: On receipt store between 10-30°C

7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8 Exposure Controls/Personal Protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the products.

Personal protective equipment

Hygiene measure

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with the product.

Eye/face protection

Tightly fitting saftey goggles; Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425/EEC and the standard EN ISO 374-1/2016 derived from it.

Body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environment exposure controls

Do not empty into drains.

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Cream to yellow coloured granular medium

No data available

Odour No data available
Odour Threshold No data available

pH 6.80 - 7.00

Melting/freezing point
No data available
Initial boiling point and boiling range
No data available
Flash point
No data available
Flammability (Solid, gas)
No data available
Vapour pressure
No data available
Relative density
No data available

Water Solubility
Partition coefficient: n-octanol/water
Autoignition Temperature
Viscosity
No data available
Explosive properties
No data available

9.2 Other safety information

Thermal decomposition

No data available

10	Stability	and	Rea	ctivity
----	-----------	-----	-----	---------

10.1 Reactivity

No data available

10.2 Chemical stability

No data available

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Refer Section 5.2

11 Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity- single exposure

No data available

Aspiration hazard

No data available

Potential Health Effects

Inhalation

REFER SECTION 2

Skin

REFER SECTION 2

Eyes

REFER SECTION 2

Ingestion

REFER SECTION 2

Additional Information

RTECS: Not Available

11.2 Components

Salicin

Acute toxicity

Mouse Intraperitoneal LD50: >500 mg/kg

Sensitization

No sensitizing effects known.

Additional information

The product is not subject to OSHA classification

RTECS:LZ5901700

Triton x 100

Acute Oral Toxicity
Rat LD50:1800 mg/kg
Acute Dermal Toxicity
Rabbit LD50: 8,000 mg/kg
Additional Information:
RTECS: MD0907700

Polyethylene glycol

Acute oral toxicity

Rabbit LD50: 31600 mg/kg

Rat Intraabdominal LD50:9708 mg/kg Rat Intravenous LD50:7312 mg/kg

Acute dermal toxicity

Rabbit LD50: >20000 mg/kg. Acute toxicity of the vapor

Rat LC50: >13 8 h. *Skin irritation*

Rabbit

Result: No skin irritation

Eye irritation

Rabbit

Result: No eye irritation

Draize Test
Sensitisation

Sensitisation Test:Guinea pig

Result: negative

(As Per OECD Test Guideline 406)

Germ cell mutagenicity Genotoxicity in vitro

Ames test

Salmonella Typhimurium

Result: Negative (As Per ECHA)

Additional Information:

RTECS: TQ3675000

12 Ecological Information

12.1 Toxicity

No data available for this mixture

Component

Triton X-100

Toxicity to fish

Pimephales promelas (fathead minnow) LC50: 4 -8.9 mg/l; 96 h

Toxicity to daphnia and other aquatic invertebrates Daphnia magna (Water flea) EC50: 18 -26 mg/l; 48 h

Toxicity to bacteria

Bacteria EC50: 5,000 mg/l; 16 h Persistence and degradability

Biodegradability

Readily biodegradable: > 60 %; 28 d (As Per OECD Test Guideline 301B)

Polyethylene glycol

Toxicity to fish

Poecilia reticulata (guppy) LC50: > 100 mg/l; 96 h

(As Per OECD Test Guideline 203)

fathead minnow (Pimephales promelas)LC50: > 73,000 mg/l; 96 h

Toxicity to daphnia and other aquatic invertebrates Daphnia magna (Water flea)EC50: > 100 mg/l; 48 h

(As Per OECD Test Guideline 202)

Toxicity to bacteria

activated sludge EC50: > 1,000 mg/l Pseudomonas putida EC10: 14,730 mg/l

Ecotoxicity in water

Goldfish LC50: >5000 mg/l 24 hours.

Biodegradability > 90 %; 28 d

(As Per OECD Test Guideline 301E)

Readily biodegradable

92 %(As Per OECD Test Guideline 302B)

Chemical Oxygen Demand (COD)

1,790 mg/g

Partition coefficient: n-octanol/water

log Pow: ca.-2.3(25 °C)

Bioaccumulation is not expected.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating or toxic (PBT) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

13 Disposal Considerations

13.1 Waste treatments methods

Product

Offer surplus and non-recyclable solutions to a licenced disposal company. Contact a licenced professional waste disposal service to dispose off this material.

13.2 Contaminated packaging

Dispose of as unused product.

14 Transport Information

14.1 UN-No

ADNR: ADR: IATA_C: IATA_P: IMDG: RID:

14.2 UN proper shipping name

ADNR : Not dangerous goods
ADR : Not dangerous goods
IATA_C : Not dangerous goods
IATA_P : Not dangerous goods
IMDG : Not dangerous goods
RID : Not dangerous goods

14.3 Transport hazard class(es)

ADNR: -ADR: -IATA_C: -IATA_P: -IMDG: -RID: -

14.4 Packaging group

ADNR : ADR : IATA_C : IATA_P : IMDG : RID :

14.5 Environmental hazards

ADNR: No ADR: No IMDG: Marine Pollutant No IATA C: No IATA P: No RID: No

14.6 Special precautions for use

No data available

15 Regulatory Information

This safety datasheet complies with the requirements of Regulation(EC) No. 1907/2006.

15.1 Safety health and environment regulations/legislation specific for the substance or mixture

No data available

15.2 Chemical Safety Assessment

No data available

16 Other information

Page **8** of **9**

Text of H codes and classification mentioned in section 3

H302 Harmful if swallowed

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H411 Toxic to aquatic life with long lasting effects

Acute Tox.oral 4 Acute toxicity, oral, Category 4

Aquatic Chronic 2 Hazardous to the aquatic environment, long term hazard, Category 2

Eye Dam. 1 Serious eye damage or eye irritation, Category 1

Further Information

Copyright 2016 HiMedia Laboratories Pvt. Ltd.

The information given in this safety data sheet is believed to be correct yet does not claim to be all inclusive. This document is intended only as a guide for appropriate precautionary handling of the material by properly trained individuals, information here being commensurate with the present state of our knowledge regarding the manner and conditions of use, handling, storage or disposal. The information provided herein shall not be considered as guarantee of the properties of the product. HiMedia Laboratories, shall not be held liable for any damage resulting from improper handling or contact with the above product. Unless explicitly stated on the product or in any of the documentation accompanying the product, it is intended for research or testing purpose only and is not to be used for any other purpose.