

**1 Identification of the substances/ mixture and of the company/ undertaking****1.1 Product Identifiers**

Product Number MV583  
Product Name K.R.A.N.E.P. HiVeg™ Agar Base  
REACH Registration Number This product is a mixture. Reach registration number is not available for this mixture.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**1.2.1** Relevant identified uses Laboratory Chemicals, Analytical Purpose, Biochemical Analysis

**1.3 Details of the supplier of the safety data sheet**

Produced by HiMedia Laboratories Private Limited  
Address C - 40,Road No.21Y,MIDC, Wagle Industrial Area, Thane(W), - 400 604, India

Tel. No. +91-22-6147 1919/6116 9797

Fax No. : +91-22-61471920

Mail Id [info@himedialabs.com](mailto:info@himedialabs.com)

Website : [www.himedialabs.com](http://www.himedialabs.com)

**1.4 Emergency Tel. No.**

Emergency Tel. No. Please contact the regional HiMedia representation in your country

**2 Hazards Identification****2.1 Classification of the substance or mixture**

**CLP Classification-Regulation (EC) No. 1272/2008[EU-GHS/CLP]**

Acute toxicity, Oral, (Category 4), H302

Acute toxicity, Inhaled, (Category 4), H332

Hazardous to the aquatic environment, long term hazard, (Category 3), H412

**2.2 Label elements**

**Labeling according to Regulation (EC) No.1272/2008**



Pictogram

Signal word Warning

Hazard Statement(s)

H302 Harmful if swallowed

H332 Harmful if inhaled

H412 Harmful to aquatic life with long lasting effects

Precautionary Statement(s)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P312 IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.

P273 Avoid release to the environment.

### 2.3 Other Hazards

None

## 3 Composition/Information On Ingredients

### 3.2 Mixture

Component	Classification	Concentration
Potassium thiocyanate		
CAS No. : 333-20-0 EC No. : 206-370-1	<b>As Per EC Regulation 1272/2008</b> Acute Tox.oral 4; Acute Tox. dermal. 4; Acute Tox.inhal. 4; Aquatic Chronic 3 H302; H312; H332; H412	>=30.0 - <=40.0%

Component	Classification	Concentration
Lithium chloride		
CAS No. : 7447-41-8 EC No. : 231-212-3	<b>As Per EC Regulation 1272/2008</b> Acute Tox.oral 4; Eye Irrit. 2A; STOT SE 3; Skin Irrit. 2 H302; H319; H335; H315	>=1.0 - <=10.0%

Component	Classification	Concentration
Sodium azide		
CAS No. : 26628-22-8 EC No. : 247-852-1	<b>As Per EC Regulation 1272/2008</b> Acute Tox.oral. 2; Acute Tox. 1; Aquatic Acute 1; Aquatic Chronic 1 H300; H310; H400; H410	>=0.1 - <=1.0%

Component	Classification	Concentration
Cycloheximide		
CAS No. : 66-81-9 EC No. : 200-636-0 Index-No : 613-140-00-8	<b>As Per EC Regulation 1272/2008</b> Acute Tox. oral 1,2; Skin Irrit. 2; Muta. 2; Repr. 1B; Aquatic Chronic 2 H300; H315; H341; H360D; H411	>=0.01 - <=0.1%

Refer Section 16 for complete statement of H codes & classification.

## 4 First Aid Measures

### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### **If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### **In case of skin contact**

Wash with plenty of soap and water. Consult a physician.

***In case of eye contact***

Rinse immediately with plenty of water for at least 15 minutes. Consult a physician.

***If swallowed***

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

No data available.

**4.3 Indication of immediate medical attention and special treatment needed**

No data available

---

**5 Fire Fighting Measures**

**5.1 Extinguishing media**

***Suitable extinguishing media***

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

***Unsuitable extinguishing media***

No data available.

**5.2 Special hazards arising from the substance or mixture**

Lithium oxides, Carbon oxides, Sodium oxides, Hydrogen chloride gas, Potassium oxides, Sulphur oxides, Nitrogen oxides (NOx)

**5.3 Precautions for fire-fighters**

Wear self contained breathing apparatus for fire fighting if necessary

**5.4 Further information**

No data available

---

**6 Accidental Release Measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas.

**6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**6.3 Methods and materials for containment and cleaning up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections**

For disposal see Section 13.

---

**7 Handling and Storage**

**7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for preventive fire protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

***Recommended Storage Temperature*** : On receipt store between 10-30°C

### 7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## 8 Exposure Controls/Personal Protection

### 8.1 Control parameters

Components with workplace control parameters

### 8.2 Exposure controls

#### **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the products.

#### **Personal protective equipment**

##### **Hygiene measure**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with the product.

##### **Eye/face protection**

Tightly fitting safety goggles; Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

##### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425/EEC and the standard EN ISO 374-1/2016 derived from it.

##### **Body protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

##### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

##### **Environment exposure controls**

Do not empty into drains.

## 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	Yellow coloured, may have slightly greenish tinge homogenous free flowing powder
Odour	No data available
Odour Threshold	No data available
pH	6.60 - 7.00
Melting/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Flammability (Solid, gas)	No data available
Vapour pressure	No data available

Relative density	No data available
Water Solubility	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available
Vapour density	No data available
Thermal decomposition	No data available

## 9.2 Other safety information

No data available

## 10 Stability and Reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

No data available

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

Refer Section 5.2

## 11 Toxicological Information

### 11.1 Information on toxicological effects

#### ***Acute toxicity***

No data available

#### ***Skin corrosion/irritation***

No data available

#### ***Serious eye damage/eye irritation***

No data available

#### ***Respiratory or skin sensitisation***

No data available

#### ***Carcinogenicity***

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### ***Reproductive toxicity***

No data available

#### ***Specific target organ toxicity- single exposure***

No data available

**Aspiration hazard**

No data available

**Potential Health Effects****Inhalation**

REFER SECTION 2

**Skin**

REFER SECTION 2

**Eyes**

REFER SECTION 2

**Ingestion**

REFER SECTION 2

**Additional Information**

RTECS : Not Available

**11.2 Components****Potassium thiocyanate***Acute oral toxicity*

Mouse LD50: 594 mg/kg

Mouse LD50: 590 mg/kg

Rat LD50: 854 mg/kg

Human oral TDLo: 428 mg/kg

Toxic psychosis, hallucinations, distorted perceptions, gastritis

Human oral LDLo: 80 mg/kg

hallucinations, distorted perceptions, convulsions, muscle weakness.

Rabbit oral LDLo: 500 mg/kg

Guinea pig oral LDLo: 600 mg/kg

Frog oral LDLo: 300 mg/kg

*Carcinogenicity*

Not listed by ACGIH, IARC, NTP or CA Prop 65.

*Teratogenicity*

No information available

**Additional information**

RTECS : XL1925000

**Lithium chloride***Acute oral toxicity*

Rat LD50: 526 mg/kg(As per RTECS)

*Acute inhalation toxicity*

Rat LC50: >5.57 mg/l; 4 h; aerosol

(As per OECD Test Guideline 403)

*Acute dermal toxicity*

Rat LD50: >2.000 mg/kg

(As per OECD Test Guideline 403)

*Skin irritation*

Rabbit

Result:Irritations(As per IUCLID)

*Eye irritation*

Rabbit

Result:Eye irritation(As per IUCLID)

*Germ cell mutagenicity*

*Genotoxicity in vitro*

*Ames test*

Result: Negative

**Additional Information:**

RTECS:OJ5950000

**Sodium azide**

*Acute oral toxicity*

Rat LD50: 27mg/kg (As per RTECS)

*Acute dermal toxicity*

LD50 Rabbit: 20mg/kg (As per RTECS)

**Additional Information:**

RTECS :VY8050000

**Cycloheximide**

*Acute Toxicity*

LD50 Oral rat:2mg/kg

*Skin Corroison/Irritation*

Skin-rabbit Result -Skin irritation-24 h

*Germ cell mutagenicity*

Lab experiments have shown mutagenic effects

Invitro tests showed mutagenic effects

*Reproductive toxicity*

May casue congenital malformation in the fetus.

Presumed human reproductive toxicant.

Liver-irregularities-Based on human Evidence

**Additional Information**

RTECS : MA4375000

**Chloramphenicol**

*Acute Toxicity*

LD50 Oral rat:2.500 mg/kg

LD50 Intraperitoneal rat:1.811 mg/kg

LD50Intraperitoneal mouse:1.100 mg/kg

*Respiratory or skin sensitization*

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals

*Germ cell mutagenicity*

Lab experiments have shown mutagenic effects

*Possible human carcinogen*

IARC: Group 2A Probably carcinogenic to humans (Chloramphenicol)

*Reproductive toxicity*

May cause congenital malformation in the fetus.

Presumed human reproductive toxicant.

Liver-irregularities-Based on human Evidence

A Dose of about 1 gram can cause : Nausea, burning sensation, sores in the mouth, lesions of the throat., sores in

the digestive tract, Tremors, convulsions Shock ., Death may result from ingestion of two to five grams., Prolonged

or repeated exposure may cause : Increased : bone density, calcium deposits in the ligaments, new bone growth,

vomiting , diarrhea, abdominal pain, To the best of our Knowledge , the chemical ,Physical and toxicological

properties have not been thoroughly investigated.

#### **Additional Information**

RTECS : AB6825000

## **12 Ecological Information**

### **12.1 Toxicity**

No data available for this mixture

#### **Components:**

##### **Potassium thiocyanate**

*Toxicity to fish*

Salvelinus fontinalis (Flow through test) LC50: > 27.9 mg/L;96h

Oncorhynchus mykiss (rainbow trout) LC50: 11 mg/l; 96 h

*Toxicity to aquatic invertebrates*

Daphnia magna (Water flea)

LC50: 0.629 - <= 32.088 mg/L;96h (Static test)

EC50: 2.8 mg/l; 96 h

*Toxicity to aquatic algae and cyanobacteria*

Microcystis aeruginosa (Static test) EC50: 47 mg/L;72h

*Toxicity to other aquatic organisms*

Pandalus montagui (pink shrimp)LC50: > 6.2 mg/L;48h

#### **Components:**

##### **Lithium Chloride**

*Toxicity to Fish*

LC50 Oncorhynchus mykiss (rainbow trout): 158 mg/l; 96 h

(Static test, As per OECD Test Guideline 203)

*Toxicity to Daphnia*

EC50 Daphnia magna (water flea): 249 mg/l; 48 h



(Static test, As per OECD Test Guideline 202)

*Toxicity to Algae*

EC50 *Desmodesmus subspicatus* (green algae):

Static test > 400 mg/l; 72 h

(Static test, As per OECD Test Guideline 201)

**Components:**

**Sodium azide**

*Toxicity to fish*

LC50 *Lepomis macrochirus* (Bluegil sunfish): 0.7 mg/l; 96 h

*Toxicity to Daphnia*

EC50 *Daphnia pulex* (Water flea): 4.2 mg/l; 48 h

*Toxicity to algae*

IC50 mixed culture of green algae: 272 mg/l

*Toxicity to bacteria*

EC50 *Photobacterium phosphoreum*: 38.5 mg/l

## **12.2 Persistence and degradability**

No data available

## **12.3 Bioaccumulative potential**

No data available

## **12.4 Mobility in soil**

No data available

## **12.5 PBT and vPvB assessment**

This preparation contains no substance considered to be persistent, bioaccumulating or toxic (PBT) at levels of 0.1% or higher.

## **12.6 Other adverse effects**

No data available

---

## **13 Disposal Considerations**

### **13.1 Waste treatments methods**

**Product**

Offer surplus and non-recyclable solutions to a licenced disposal company. Contact a licenced professional waste disposal service to dispose off this material.

### **13.2 Contaminated packaging**

Dispose of as unused product.

---

## **14 Transport Information**

### **14.1 UN-No**

ADNR : ADR : IATA\_C : IATA\_P : IMDG : RID :

### **14.2 UN proper shipping name**

ADNR : Not dangerous goods  
ADR : Not dangerous goods  
IATA\_C : Not dangerous goods  
IATA\_P : Not dangerous goods  
IMDG : Not dangerous goods

RID : Not dangerous goods

**14.3 Transport hazard class(es)**

ADNR : - ADR : - IATA\_C : - IATA\_P : - IMDG : - RID : -

**14.4 Packaging group**

ADNR : ADR : IATA\_C : IATA\_P : IMDG : RID :

**14.5 Environmental hazards**

ADNR : No ADR : No IMDG : Marine pollutant No IATA\_C : No IATA\_P : No RID : No

**14.6 Special precautions for use**

No data available

**15 Regulatory Information**

This safety datasheet complies with the requirements of Regulation(EC) No. 1907/2006.

**15.1 Safety health and environment regulations/legislation specific for the substance or mixture**

No data available

**15.2 Chemical Safety Assessment**

No data available

**16 Other information**

Text of H codes and classification mentioned in section 3

H300	Fatal if swallowed
H302	Harmful if swallowed
H310	Fatal in contact with skin
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects
H360D	May damage the unborn child
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
Acute Tox. 1	Acute toxicity, dermal, Category 1
Acute Tox. dermal. 4	Acute toxicity, dermal, Category 4
Acute Tox. oral 1,2	Acute toxicity, oral, Category 1, 2
Acute Tox.inhal. 4	Acute toxicity, inhaled, Category 4
Acute Tox.oral 4	Acute toxicity, oral, Category 4
Acute Tox.oral. 2	Acute toxicity, oral, Category 2
Aquatic Acute 1	Hazardous to the aquatic environment, acute hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, long term hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, long term hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, long term hazard, Category 3
Eye Irrit. 2A	Serious eye damage or eye irritation, Category 2A
Muta. 2	Germ cell mutagenicity, Category 2

Repr. 1B	Reproductive toxicity, Category 1B
Skin Irrit. 2	Skin corrosion or irritation, Category 2
STOT SE 3	Specific target organ toxicity, single exposure, Respiratory tract irritation, Category 3

### **Further Information**

Copyright 2016 HiMedia Laboratories Pvt. Ltd.

The information given in this safety data sheet is believed to be correct yet does not claim to be all inclusive. This document is intended only as a guide for appropriate precautionary handling of the material by properly trained individuals, information here being commensurate with the present state of our knowledge regarding the manner and conditions of use, handling, storage or disposal. The information provided herein shall not be considered as guarantee of the properties of the product. HiMedia Laboratories, shall not be held liable for any damage resulting from improper handling or contact with the above product. Unless explicitly stated on the product or in any of the documentation accompanying the product, it is intended for research or testing purpose only and is not to be used for any other purpose.