www.himedialabs.com Safety data sheet(SDS) According to Regulation (EC) No.1907/2006 **Revision**: 00000 Date of Revision: 03.01.2017

#### HIMEDIA 1 Identification of the substances/ mixture and of the company/ undertaking 1.1 **Product Identifiers Product Number** PT100G Product Name Murashige & Skoog Medium w/ CaCl₂, Vitamins, Sucrose & CleriGel™ **REACH Registration Number** Reach registration number is not available for this mixture. According to REACH regulation EC 1907/2006 this product is exempted from registration. The annual tonnage does not require a REACH registration or it is envisaged for a later registration deadline. Relevant identified uses of the substance or mixture and uses advised against 1.2 1.2.1 Relevant identified uses Laboratory chemicals, Manufacture of substances 1.2.2 Uses advised against No data available 1.3 Details of the supplier of the safety data sheet Produced by HiMedia Laboratories Private Limited Address 23, Vadhani Industrial Estate, LBS Marg, Ghatkopar (W), Mumbai - 400 086 India Tel. No. +91-22-2500 0970, +91-22-2500 1607 Fax No. Mail Id ptc@himedialabs.com Website : www.himedialabs.com 1.4 **Emergency Tel. No.** Emergency Tel. No. Please contact the regional HiMedia representation in your country

#### 2 **Hazards Identification**

#### 2.1 Classification of the substance or mixture CLP Classification-Regulation (EC) No. 1272/2008[EU-GHS/CLP]

Not a hazardous substance or mixture according to Regulation (EC) No.1272/2008. This substance is not classified as dangerous according to directive 67/548/EEC.

#### 2.2 Label elements

# Labeling according to Regulation (EC) No.1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.3 **Other Hazards**

None

#### 3 **Composition/Information On Ingredients**

3.2 Mixture

Co	mponent	Classification	Concentration
Potassium nitrat	e		
CAS No. :	7757-79-1	As Per EC Regulation 1272/2008	>=4 - <=6%
EC No. :	231-818-8	Ox. Sol. 3 H272	

Co	mponent	Classification	Concentration
Ammonium nitr	ate		
CAS No. :	6484-52-2	As Per EC Regulation 1272/2008	>=4 - <=6%
EC No. :	229-347-8	Ox. Sol. 3; Skin Irrit. 2; Eye Irrit. 2A;	
		STOT SE 3 H272; H315; H319; H335	

Co	mponent	Classification	Concentration
Calcium chlorid	e,anhydrous		
CAS No. :	10043-52-4	As Per EC Regulation 1272/2008	>=0.7 - <=0.9%
EC No. :	233-140-8	Eye Irrit. 2A H319	

	Component	Classification	Concentration
Boric acid			
CAS No. :	10043-35-3	As Per EC Regulation 1272/2008	>=0.01 - <=0.03%
EC No. :	233-139-2	Repr.Tox. 1A, 1B H360	
Index-No :	005-007-00-2		

Cor	nponent	Classification	Concentration
Zinc sulphate, he	ptahydrate		
CAS No. :	7446-20-0	As Per EC Regulation 1272/2008	>=0.01 - <=0.03%
EC No. :	231-793-3	Acute Tox.oral 4; Eye Dam. 1; Aquatic	
Index-No :	030-006-00-9	Chronic 1 H302; H318; H410	

For the full text of the H-Statements and classification mentioned in this Section, see Section 16

# 4 First Aid Measures

# 4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

# If inhaled

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

	Wash off with soap and plenty of water. Consult a physician.
	<i>In case of eye contact</i> Rinse immediately with plenty of water for at least 15 minutes. Consult a physician.
	If swallowed
	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
4.2	Most important symptoms and effects, both acute and delayed
	The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11.
4.3	Indication of immediate medical attention and special treatment needed
	Treat symptomatically.
5 5.1	Fire Fighting Measures Extinguishing media
	Suitable extinguishing media
	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. <i>Unsuitable extinguishing media</i>
	No data available.
5.2	Special hazards arising from the substance or mixture
	Magnesium oxides, Sulphur oxides, Sodium oxides, Iron oxides, Calcium Oxide, Cobalt oxides, Copper oxides, Manganese oxides,, Molybdenum oxides, Oxides of Phosphorus, Potassium oxides, Zinc
	oxides
5.3	<b>Precautions for fire-fighters</b> Cool closed containers exposed to fire with water spray.
5.4	Further information
	Wear self-contained breathing apparatus for firefighting if necessary.
<u> </u>	
6 6.1	Accidental Release Measures Personal precautions, protective equipment and emergency procedures
-	Use personnel protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas.
	Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.
6.2	Environmental precautions
	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into
6.3	environment must be avoided. Methods and materials for containment and cleaning up
	Keep in suitable, closed containers for disposal. Sweep up and shovel. Contain spillage, and then
	collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for
	disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.
6.4	Reference to other sections
	For disposal see Section 13.

### 7 Handling and Storage

### 7.1 Precautions for safe handling

Avoid formation of dust and aerosols. Use only in well ventilated areas. Wear protective gloves and eye/face protection. Keep away from heat, sparks and open flame.

Conditions for safe storage, including any incompatibilities
 Store in cool/well-ventilated place. Storage class (TRGS 510): Oxidizing Solids
 Recommended Storage Temperature : 2 - 8°C

### 7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

### 8 Exposure Controls/Personal Protection

8.1 Control parameters

#### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance to general industrial hygiene and safety practice. Wash hands before breaks, immediately after handling the products and at the end of workday.

### Personal protective equipment

#### Eye/face protection

Safety glasses with side-shields conforming to EN 166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU). Have eye-washing facilities readily available where eye contact can occur.

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### **Body protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Environment exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance Odour Odour Threshold pH Melting/freezing point White to off-white, homogenous powder No data available No data available 3.8 - 4.8 No data available Initial boiling point and boiling range Flash point Upper/lower flammability or explosive limits Evaporation rate Flammability (Solid, gas) Vapour pressure Relative density Water Solubility Autoignition Temperature Decomposition Temperature Viscosity Explosive properties Oxidizing properties Vapour density Thermal decomposition No data available Soluble after boiling in distilled water No data available No data available

# 9.2 Other safety information

No data available

- 10 Stability and Reactivity
- 10.1 Reactivity
  - No data available
- **10.2** Chemical stability Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials No data available

## **10.6** Hazardous decomposition products Hazardous decomposition products formed under fire conditions - Nitrogen oxides(NOx), Sulphur oxides, Oxides of phosphorus,. Potassium oxides, Magnesium oxide, Cobalt/cobalt oxides, Calcium oxide, Copper oxides

# 11 Toxicological Information

11.1Information on toxicological effectsAcute toxicityNo data available

Remarks : No data available No data available *Skin corrosion/irritation* No data available *Serious eye damage/eye irritation* No data available *Respiratory or skin sensitisation* 

Page 5 of 8

No data available Germ cell mutagenicity No data available Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available Additional Information RTECS : Not Applicable

### 12 Ecological Information

- 12.1 Toxicity No data available
- 12.2 Persistence and degradability

No data available

**12.3** Bioaccumulative potential No data available

# 12.4 Mobility in soil

- No data available
   **12.5 PBT and vPvB assessment** This preparation contains no substance considered to be persistent, bioaccumulating or toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
- **12.6** Other adverse effects

### 13 Disposal Considerations

#### 13.1 Waste treatments methods Product

Dispose of as unused product.

# 13.2 Contaminated packaging

Burn in a chemical incinerator equipped with an afterburner and srcubber but exert extra care in igniting as this material is highly flammable. Contact a licenced professional waste disposal service to dispose off this material.

# 14 Transport Information

14.1 UN-No

ADNR : ADR : IATA\_C : IATA\_P : IMDG : RID :

 14.2
 UN proper shipping name

 ADNR
 : Not dangerous goods

Page 6 of 8

		t dangerous goods
	—	t dangerous goods
	IATA_P : Not	t dangerous goods
	IMDG : Not	t dangerous goods
	RID : Not	t dangerous goods
14.3	Transport hazard class(e ADNR: - ADR: - IATA_	s) C:-IATA_P:-IMDG:-RID:-
14.4	Packaging group	
	ADNR :- ADR :-	- IATA_C :- IATA_P :- IMDG :- RID :-
14.5	Environmental hazards	
		ine Pollutant : No IATA_C : No
14.6	Special precautions for u No data available	ise
15	Regulatory Information	
		mplies with the requirements of Regulation (EC) No. 1907/2006
	•	
15.1	Safety health and enviro	nment regulations/legislation specific for the substance or
15.1	•	nment regulations/legislation specific for the substance or
	mixture	
	mixture Chemical Safety Assessn	nent
	mixture Chemical Safety Assessn	
15.2	mixture Chemical Safety Assessn	nent
15.2	mixture Chemical Safety Assessn For this product a chemic	nent
15.2	mixture Chemical Safety Assessm For this product a chemic Other information	nent cal safety assessment was not carried out.
15.2	mixture Chemical Safety Assessm For this product a chemic Other information H272	nent cal safety assessment was not carried out. May intensify fire; oxidizer
15.2	mixture Chemical Safety Assessm For this product a chemic Other information H272 H302	nent cal safety assessment was not carried out. May intensify fire; oxidizer Harmful if swallowed
15.2	mixture Chemical Safety Assessm For this product a chemic Other information H272 H302 H315	nent cal safety assessment was not carried out. May intensify fire; oxidizer Harmful if swallowed Causes skin irritation
15.2	mixture Chemical Safety Assessm For this product a chemic Other information H272 H302 H315 H318	nent cal safety assessment was not carried out. May intensify fire; oxidizer Harmful if swallowed Causes skin irritation Causes serious eye damage
15.2	mixture Chemical Safety Assessm For this product a chemic Other information H272 H302 H315 H318 H319	hent cal safety assessment was not carried out. May intensify fire; oxidizer Harmful if swallowed Causes skin irritation Causes serious eye damage Causes serious eye irritation
15.2	mixture Chemical Safety Assessm For this product a chemic Other information H272 H302 H315 H318 H319 H335	hent cal safety assessment was not carried out. May intensify fire; oxidizer Harmful if swallowed Causes skin irritation Causes serious eye damage Causes serious eye irritation May cause respiratory irritation
15.2	mixture Chemical Safety Assessm For this product a chemic Other information H272 H302 H315 H318 H319 H335 H360	hent cal safety assessment was not carried out. May intensify fire; oxidizer Harmful if swallowed Causes skin irritation Causes serious eye damage Causes serious eye irritation May cause respiratory irritation May damage fertility or the unborn child
15.2	mixture Chemical Safety Assessm For this product a chemic Other information H272 H302 H315 H318 H319 H335 H360 H410	hent cal safety assessment was not carried out. May intensify fire; oxidizer Harmful if swallowed Causes skin irritation Causes serious eye damage Causes serious eye damage Causes serious eye irritation May cause respiratory irritation May damage fertility or the unborn child Very toxic to aquatic life with long lasting effects
15.2	mixture Chemical Safety Assessm For this product a chemic Other information H272 H302 H315 H318 H319 H335 H360 H410 Acute Tox.oral 4	hent cal safety assessment was not carried out. May intensify fire; oxidizer Harmful if swallowed Causes skin irritation Causes serious eye damage Causes serious eye damage Causes serious eye irritation May cause respiratory irritation May damage fertility or the unborn child Very toxic to aquatic life with long lasting effects Acute toxicity, oral, Category 4
15.2	mixture Chemical Safety Assessm For this product a chemic Other information H272 H302 H315 H318 H319 H335 H360 H410 Acute Tox.oral 4 Aquatic Chronic 1	hent cal safety assessment was not carried out. May intensify fire; oxidizer Harmful if swallowed Causes skin irritation Causes serious eye damage Causes serious eye damage Causes serious eye irritation May cause respiratory irritation May damage fertility or the unborn child Very toxic to aquatic life with long lasting effects Acute toxicity, oral, Category 4 Hazardous to the aquatic environment, long term hazard, Category 1
15.2	mixture Chemical Safety Assessm For this product a chemic Other information H272 H302 H315 H318 H319 H335 H360 H410 Acute Tox.oral 4 Aquatic Chronic 1 Eye Dam. 1	May intensify fire; oxidizer Harmful if swallowed Causes skin irritation Causes serious eye damage Causes serious eye irritation May cause respiratory irritation May damage fertility or the unborn child Very toxic to aquatic life with long lasting effects Acute toxicity, oral, Category 4 Hazardous to the aquatic environment, long term hazard, Category 1 Serious eye damage or eye irritation, Category 1
15.1 15.2 16	mixture Chemical Safety Assessm For this product a chemic Other information H272 H302 H315 H318 H319 H335 H360 H410 Acute Tox.oral 4 Aquatic Chronic 1 Eye Dam. 1 Eye Irrit. 2A	May intensify fire; oxidizer Harmful if swallowed Causes skin irritation Causes serious eye damage Causes serious eye irritation May cause respiratory irritation May damage fertility or the unborn child Very toxic to aquatic life with long lasting effects Acute toxicity, oral, Category 4 Hazardous to the aquatic environment, long term hazard, Category 1 Serious eye damage or eye irritation, Category 1 Serious eye damage or eye irritation, Category 2A
15.2	mixture Chemical Safety Assessm For this product a chemic Other information H272 H302 H315 H318 H319 H335 H360 H410 Acute Tox.oral 4 Aquatic Chronic 1 Eye Dam. 1 Eye Irrit. 2A Ox. Sol. 3	May intensify fire; oxidizer Harmful if swallowed Causes skin irritation Causes serious eye damage Causes serious eye damage Causes serious eye irritation May cause respiratory irritation May damage fertility or the unborn child Very toxic to aquatic life with long lasting effects Acute toxicity, oral, Category 4 Hazardous to the aquatic environment, long term hazard, Category 1 Serious eye damage or eye irritation, Category 1 Serious eye damage or eye irritation, Category 2A Oxidising solids, Category 3
15.2	mixture Chemical Safety Assessm For this product a chemic Other information H272 H302 H315 H318 H319 H335 H360 H410 Acute Tox.oral 4 Aquatic Chronic 1 Eye Dam. 1 Eye Irrit. 2A Ox. Sol. 3 Repr.Tox. 1A, 1B	May intensify fire; oxidizer Harmful if swallowed Causes skin irritation Causes serious eye damage Causes serious eye damage Causes serious eye irritation May cause respiratory irritation May damage fertility or the unborn child Very toxic to aquatic life with long lasting effects Acute toxicity, oral, Category 4 Hazardous to the aquatic environment, long term hazard, Category 1 Serious eye damage or eye irritation, Category 1 Serious eye damage or eye irritation, Category 1 Serious eye damage or eye irritation, Category 2A Oxidising solids, Category 3 Reproductive toxicity, Category 1A, 1B

# **Further Information**

Copyright 2010 HiMedia Laboratories Pvt. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all

Page **7** of **8** 

inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. HiMedia Laboratories, shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.